

## 解説演題一覧

### 乳がん

解説：下井 辰徳 先生（国立がん研究センター中央病院）・吉波 哲大 先生（大阪大学大学院）

演題番号	演題	演者
LBA4	Neoadjuvant pembrolizumab or placebo plus chemotherapy followed by adjuvant pembrolizumab or placebo for high-risk early-stage TNBC: Overall survival results from the phase 3 KEYNOTE-522 study	Peter Schmid
LBA12	eMouvoir: Randomised phase 3 trial evaluating the impact of a personalized and remote Physical Activity (PA) for Breast Cancer Survivors (BCS). Results on the Quality of Life (QoL).	Laurence Vanlemmens
LBA18	Trastuzumab deruxtecan (T-DXd) in patients (pts) with HER2+ advanced/metastatic breast cancer (mBC) with or without brain metastases (BM): DESTINYBreast-12 primary results	Nancy Lin
LBA19	Capivasertib (C) + paclitaxel (P) as first-line treatment of metastatic triple-negative breast cancer (mTNBC): the CAPItello-290 Phase 3 trial	Peter Schmid
LBA21	Human epidermal growth factor receptor 2 (HER2)-low and HER2-ultralow status determination in tumors of patients (pts) with hormone receptor-positive (HR+) metastatic breast cancer (mBC) in DESTINY-Breast06 (DB-06)	Giuseppe Viale
2310	Locoregional hypo vs normofractionated RT in early breast cancer: 5 years results of the HypoG-01 phase 3 UNICANCER trial	Sofia Rivera
18160	A multicentre, randomized, double-blind, placebo-controlled study of olanzapine-based triplet antiemetic therapy for prevention of delayed and persistent nausea and vomiting induced by trastuzumab deruxtecan in patients with metastatic breast cancer: ERICA study (WJOG14320B)	Hitomi Sakai

### 消化器がん 1（肝胆膵）

解説：梅本 久美子 先生（聖マリアンナ医科大学病院）

演題番号	演題	演者
LBA3	Transarterial Chemoembolization (TACE) With or Without Lenvatinib (len) + Pembrolizumab (pembro) for Intermediate-Stage Hepatocellular Carcinoma (HCC): Phase 3 LEAP-012 Study	Josep Llovet
LBA39	Updated efficacy and safety data from IMbrave050: Phase 3 study of adjuvant atezolizumab (atezo) + bevacizumab (bev) vs active surveillance in patients (pts) with resected or ablated high-risk hepatocellular carcinoma (HCC)	Adam Yopp
LBA62	Preoperative modified FOLFIRINOX (mFOLFIRINOX) with or without chemoradiation (CRT) in borderline resectable pancreatic cancer (BRPC): results from the randomized phase II trial PANDAS/PRODIGE 44.	Aurélien Lambert

### 消化器がん 2（消化管）

解説：川上 尚人 先生（東北大学病院）

演題番号	演題	演者
LBA24	Neoadjuvant immunotherapy in locally advanced MMR-deficient colon cancer: 3-year disease-free survival from NICHE-2.	Myriam Chalabi
LBA58	A randomized phase III trial of perioperative chemotherapy (perio CT) with or without preoperative chemoradiotherapy (preop CRT) for resectable gastric cancer (AGITG TOPGEAR): final results from an intergroup trial of AGITG, TROG, EORTC and CCTG	Trevor Leong
5030	Neoadjuvant nivolumab (nivo) plus relatlimab (rela) in MMR-deficient colon cancer: Results of the NICHE-3 study.	Peter Gerardus Michiel de Gooyer
14000	Final overall survival for the phase 3, KEYNOTE-811 study of pembrolizumab plus trastuzumab and chemotherapy for HER2+ advanced, unresectable or metastatic G/GEJ adenocarcinoma	Yelena Y. Janjigian

## 肺がん

解説： 突田 容子 先生（東北大学病院）・土屋 裕子 先生（北九州市立医療センター）

演題番号	演題	演者
LBA48	CCTG BR.31: A global, double-blind placebo-controlled, randomized phase III study of adjuvant durvalumab in completely resected non-small-cell lung cancer (NSCLC)	Glenwood Goss
LBA52	Interim Analysis of GALAXIES Lung-201: Phase 2, Randomized, Open-label Platform Study of Belrestotug Plus Dostarlimab in Patients (pts) With Previously Untreated Locally Advanced/Metastatic (LA/M) PD-L1 High (TPS $\geq$ 50%) Non-Small Cell Lung Cancer (NSCLC)	David Robert Spigel
LBA53	Nivolumab (NIVO) plus relatlimab with platinum-doublet chemotherapy (PDCT) vs NIVO + PDCT as first-line (1L) treatment (tx) for stage IV or recurrent NSCLC: results from the randomized phase 2 RELATIVITY-104 study	Nicolas Girard
LBA55	Mechanisms of Acquired Resistance to First-line Amivantamab Plus Lazertinib Versus Osimertinib in Patients With EGFR-mutant Advanced Non-Small Cell Lung Cancer: An Early Analysis from the Phase 3 MARIPOSA Study	Benjamin Besse
LBA81	Durvalumab (D) as consolidation therapy in limited-stage SCLC (LS-SCLC): outcomes by prior concurrent chemoradiotherapy (cCRT) regimen and prophylactic cranial irradiation (PCI) use in the ADRIATIC trial	Suresh Senan
1243MO	A phase III study comparing weekly carboplatin plus nab-paclitaxel and daily low-dose carboplatin for concurrent chemoradiotherapy in elderly patients ( $\geq$ 75 years) with unresectable locally advanced NSCLC: JCOG1914	Shota Omori

## 泌尿器がん

解説： 北村 寛 先生（富山大学）・竹村 弘司 先生（虎の門病院）

演題番号	演題	演者
LBA1	A randomized multicenter open label phase III trial comparing enzalutamide vs a combination of Radium-223 (Ra223) and enzalutamide in asymptomatic or mildly symptomatic patients with bone metastatic castration-resistant prostate cancer (mCRPC): First results of EORTC-GUCG 1333/PEACE-3	Silke Gillesen
LBA66	UpFrontPSMA : A Randomised Phase 2 Study of Sequential 177Lu-PSMA-617 and Docetaxel (D) versus Docetaxel in Metastatic Hormone-Sensitive Prostate Cancer (mHSPC)	Arun A. Azad
LBA73	Tivozanib–Nivolumab vs Tivozanib Monotherapy in Patients with Renal Cell Carcinoma (RCC) Following 1 or 2 Prior Therapies including an Immune Checkpoint Inhibitor (ICI) – Results of the Phase III TiNivo-2 Study	Toni K. Choueiri
LBA75	Prospective randomised phase-II trial of Ipilimumab/Nivolumab versus standard of care in non-clear cell renal cell cancer - results of the SUNNIFORECAST trial	Lothar Bergmann
LBA5	A randomized phase 3 trial of neoadjuvant durvalumab plus chemotherapy followed by radical cystectomy and adjuvant durvalumab in muscle-invasive bladder cancer (NIAGARA)	Thomas Bartholomew Powles
LBA84	TAR-200 plus cetrelimab (CET) or CET alone as neoadjuvant therapy in patients (pts) with muscle-invasive bladder cancer (MIBC) who are ineligible for or refuse neoadjuvant cisplatin-based chemotherapy (NAC): interim analysis of SunRISe-4 (SR-4)	Andrea Necchi

## その他（婦人科がん）

解説： 西川 忠暁 先生（東京慈恵会医科大学附属病院）

演題番号	演題	演者
LBA28	ENGOT-en11/GOG-3053/KEYNOTE-B21: A Phase 3 Study of Pembrolizumab or Placebo in Combination With Adjuvant Chemotherapy With or Without Radiotherapy in Patients With Newly Diagnosed, High-Risk Endometrial Cancer	Toon Van Gorp
LBA29	Final overall survival (OS) in patients (pts) with newly diagnosed advanced ovarian cancer (aOC) treated with niraparib (nir) first-line (1L) maintenance: results from PRIMA/ENGOT-OV26/GOG-3012	Antonio González-Martín
LBA30	ATHENA-COMBO, a phase 3, randomized trial comparing rucaparib (RUCA) + nivolumab (NIVO) combination therapy vs RUCA monotherapy as maintenance treatment in patients (pts) with newly diagnosed ovarian cancer (OC)	Bradley James Monk
LBA32	A randomized, Phase 2, dose optimization of gotistobart, a pH-sensitive anti-CTLA-4, in combination with standard dose pembrolizumab in platinum-resistant recurrent ovarian cancer: safety, efficacy and dose optimization (PRESERVE-004/GOG-3081)	Joyce N Barlin

## その他

解説：清田 尚臣 先生（神戸大学医学部附属病院）

演題番号	演題	演者
LBA36	A randomised phase II study to evaluate the efficacy and safety of androgen deprivation therapy (ADT) vs chemotherapy (CT) in patients with recurrent and/or metastatic, androgen receptor (AR) expressing, salivary gland cancers.	Lisa Francesca Linda Licitra
LBA41	Long-term survival with neoadjuvant therapy in melanoma: updated pooled analysis from the International Neoadjuvant Melanoma Consortium (INMC)	Georgina V Long
LBA42	Distant metastasis-free survival of neoadjuvant nivolumab plus ipilimumab versus adjuvant nivolumab in resectable, macroscopic stage III melanoma: the NADINA trial	Minke W. Lucas
8490	Phase II study of trastuzumab deruxtecan in patients with HER2-positive recurrent/metastatic salivary gland cancer: results from the MYTHOS trial	Ichiro Kinoshita
852MO	REWRITE-GORTEC 2018-02: Radiotherapy-durvalumab without prophylactic neck irradiation in squamous cell carcinoma of the head and neck	Joël Castelli